



# MAY

tips.

# **DIRECTIONS FOR USE**

Recommended application rates infurrow at 3-5 gallons per acre, side-dressed in compatible N sources, or foliar at recommended rates. Can be mixed with other liquid NPK products, jar test compatibility. For agronomic application rates suitable for your crop, geographic area and soil type consult a trained specialist. Apply as needed based on a soil test, tissue analysis, and/or according to recommendations of your local agronomist.

### FIRST AID MEASURES

- If inhaled: Move victim to fresh air. Seek medical attention if irritation persists.
- If on skin: Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
- If in the eyes: Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
- If swallowed: If the victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.

## **PPE**

Handlers and applicators should wear NIOSH-approved particulate or mist respirators if required. Safety glasses with side shields, goggles, or a face shield, long-sleeved shirts, rubber gloves, and local exhaust ventilation are recommended.

Product should be applied in the cool of the day in temperatures under 80 degrees F.

# **PRECAUTIONARY STATEMENTS**

- •Call a poison center/physician if unwell
- If skin irritation occurs, seek medical advice
- •If in eyes, rinse cautiously with water for several minutes; remove contact lenses
- If eye irritation persists, seek medical advice
- •Do not eat, drink, or smoke when using the product
- •Wash hands after handling
- •use only outdoors or in well-ventilated areas
- •Avoid breathing mist/sprav
- •If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing
- •Store container tightly closed, locked up
- Dispose of contents/container in accordance with national/regional/local regulations
- •Avoid breathing mist/spray
- If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing
- •Store container tightly closed, locked up
- Dispose of contents/container in accordance with national/regional/local regulations

# **GUARANTEED ANALYSIS**

Soluble Potassium (K2O)

Derived from: potassium carbonate

.30.0%





# **CONDITIONS OF SALE**

Recommendations for the use of this product are based upon factors believed to be reliable. However, because time, place, rate of application, weather, and other conditions of use are beyond the control of the manufacturer, no written or implied warranty is given for product performance. The seller warrants that this product meets the criteria published in its product specifications. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU HAVE OTHER RIGHTS VARY FROM THAT STATE/JURISDICTION TO STATE/JURISDICTION.

# **CAUTION!**

Keep out of reach of children Do not swallow. store below 120 degrees F.

Store out of direct sunlight and shake well before using. Always do a compatibility check to ensure proper mixing.

All liquid fertilizers must be applied using liquid fertilizer spraying

For More Information Visit www.agritecint.com

Information regarding the contents and levels of metals in this product is available on the internet at http//www.aapfco.org/metals.html

### **MANUFACTURED FOR AND DISTRIBUTED BY:** AgriTec International

3329 N I-35 Frontage Rd Gainesville, TX 76240

55 US GALLONS: Net Weight: 665.5 lbs (301.87 kgs) 275 US GALLONS: Net Weight: 3,327.5 lbs (1,509.33 kgs)

Density: 12.1 lbs/gal at 68 degrees F



# GRO-B

### **DIRECTIONS FOR USE**

Recommended application rates infurrow at 3-5 gallons per acre, side-dressed in compatible N sources, or foliar at recommended rates. Can be mixed with other liquid NPK products, jar test compatibility. For agronomic application rates suitable for your crop, geographic area and soil type consult a trained specialist. Apply as needed based on a soil test, tissue analysis, and/or according to recommendations of your local agronomist.

### **FIRST AID MEASURES**

- If inhaled: Move victim to fresh air. Seek medical attention if irritation persists.
- If on skin: Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
- If in the eyes: Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
- If swallowed: If the victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.

### PPE

Handlers and applicators should wear NIOSH-approved particulate or mist respirators if required. Safety glasses with side shields, goggles, or a face shield, long-sleeved shirts, rubber gloves, and local exhaust ventilation are recommended.

Product should be applied in the cool of the day in temperatures under 80 degrees  $\ensuremath{\mathsf{F}}$ 

### **CONDITIONS OF SALE**

Recommendations for the use of this product are based upon factors believed to be reliable. However, because time, place, rate of application, weather, and other conditions of use are beyond the control of the manufacturer, no written or implied warranty is given for product performance. The seller warrants that this product meets the criteria published in its product specifications. THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

### **GUARANTEED ANALYSIS**

Derived from: potassium carbonate

### **PRECAUTIONARY STATEMENTS**

- •Call a poison center/physician if unwell
- If skin irritation occurs, seek medical advice
- •If in eyes, rinse cautiously with water for several minutes; remove contact lenses
- If eye irritation persists, seek medical advice
- •Do not eat, drink, or smoke when using the product
- •Wash hands after handling
- •use only outdoors or in well-ventilated areas
- Avoid breathing mist/spray
- If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing
- •Store container tightly closed, locked up
- •Dispose of contents/container in accordance with national/regional/local regulations
- •Avoid breathing mist/spray
- If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing
- ·Store container tightly closed, locked up
- •Dispose of contents/container in accordance with national/regional/local regulations

### CAUTION!

Keep out of reach of children Do not swallow. store below 120 degrees F.

Store out of direct sunlight and shake well before using. Always do a compatibility check to ensure proper mixing.

All liquid fertilizers must be applied using liquid fertilizer spraying tips.

For More Information Visit www.agritecint.com

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.html

### MANUFACTURED FOR AND DISTRIBUTED BY:

AgriTec International 3329 N I-35 Frontage Rd Gainesville, TX 76240



55 US GALLONS: Net Weight: 665.5 lbs (301.87 kgs) 275 US GALLONS: Net Weight: 3,327.5 lbs (1,509.33 kgs)

Density: 12.1 lbs/gal at 68 degrees F